



European Severe Storms Laboratory

TECHNICAL REPORT

2019 - 01

ESWD data format specification

Version 1.60 and 1.60-csv

Pieter Groenemeijer

Zhongjian Liang

European Severe Storms Laboratory e.V.

Münchener Straße 20

82234 Wessling, Germany

Tel: +49 151 59031839

Fax: +49 8153 96599911

eMail: eswd@essl.org

ESWD database web site:

<http://essl.org/ESWD/> or <http://eswd.eu>

Contents

1. Introduction	5
2. Basic principles	6
2.1 Point data.....	6
2.2 Text data.....	6
2.3 <i>csv</i> and <i>conventional</i> formats	6
2.4 Recording events vs. recording observations.....	6
2.5 Merging of multiple reports of multiple events.....	7
3. Event types and definitions	8
4. The <i>conventional</i> data format	10
4.1 <i>conventional</i> structure.....	10
4.2 <i>conventional</i> field types	10
4.3 <i>conventional</i> field status	11
4.4 conventional group and field descriptions	12
4.4.1 Group INFO – record information, source, revisions (req.)	12
4.4.2 Group TIME&PLACE - time and place of initial event occurrence (req.)	14
4.4.3 Group AVALANCHE	17
4.4.4 Group DEVIL – lesser whirlwind	20
4.4.5 Group FUNNEL - funnel cloud	22
4.4.6 Group GUSTNADO - gust front vortex (gustnado).....	23
4.4.7 Group HAIL - severe hailfall	25
4.4.8 Group ICE – Icing hazards.....	27
4.4.9 Group LIGHTNING – damaging lightning	29

4.4.10 Group PRECIP - heavy precipitation	31
4.4.11 Group SNOW - heavy snowfall and/or snowstorm.....	33
4.4.12 Group TORNADO - tornado, waterspout.....	36
4.4.13 Group WIND - severe wind gust.....	39
4.4.14 Group SIMPLEPATH - path of phenomenon (opt.)	42
5 The <i>csv</i> data format	43
5.1 <i>csv</i> structure.....	43
5.2 <i>csv</i> field types	43
5.3 <i>csv</i> field status	44
5.4 <i>csv</i> fields.....	45
Appendix A: Two-character country codes	61
Appendix B: Quality control levels	63
Appendix C: Impact codes	64

1. Introduction

This report describes version 1.60 and 1.60-csv of the ESWD data format, which has been developed for the documentation and exchange of information on severe weather events. The ESWD data format is used operationally in the European Severe Weather Database (ESWD) that is managed and maintained by the European Severe Storms Laboratory (Dotzek et al. 2009; Groenemeijer et al. 2017).

Version 1.60 updates version 1.50 that is described in ESSL Technical Report 2011-01. On the basis of experience with the ESWD between 2011 and 2018, a number of changes were thought to be necessary. In particular, the following aspects of the data format have been updated:

- the status of some fields has been changed, i.e. from *required* to *optional* or vice versa, or to *deprecated*
- the event definitions have been updated to reflect the *ESWD Reporting Criteria* document (ESSL Report 2018-01)
- for each event, it is now possible to indicate in a dedicated field a number of impacts that commonly occur

2. Basic principles

2.1 Point data

The ESWD data formats are designed to record georeferenced zero-dimensional data (i.e. point data) as opposed to higher-dimensional geographical objects. An exception to this rule is the possibility to store one-dimensional tornado damage paths. For other events, it is left to the user of the data to cluster them into objects. No other one-dimensional or higher dimensional objects cannot be stored in the current data format.

2.2 Text data

The ESWD data format is a text-based format that uses the UTF-8 encoding. Within a database system it may internally be stored in any other format. These formats are not part of the official data format specification described in this document. Pending the availability of resources for this purpose, such specifications may be developed in future in compliance with international standards.

2.3 *csv* and *conventional* formats

The ESWD data format comes in two types: the *csv* format and the *conventional* format. The *conventional* format was developed first (Groenemeijer et al., 2004). The primary distinction between the two types is the way data of a single report is structured.

In the *conventional* format this data is stored in 3 or 4 *groups*, or lines of data. The *csv* format stores all data in on one line, i.e. the data of one report constitutes one single string. Another difference is that the *conventional* format makes extensive use of keywords to indicate particular properties of the event that is reported. In contrast, the *csv* format uses numbers to store such data. More details can be found in the respective sections below.

Both data formats have their benefits. The *csv* format is the most easily used one for transfer to other database systems, and for importing into spreadsheet programs. The *conventional* format is more human-readable and easier to encode, for example by organizations wishing to transmit data to ESSL's database. In this document both data formats are described.

2.4 Recording events vs. recording observations

The ESWD stores severe weather data in two different ways: For some event types, the data is recorded *per observation* and for others *per event*. The criterion that determines how an event is stored is whether the events are countable without having to introduce some arbitrary definition of what constitutes a single event.

Countable events, that are recorded on a *per event* basis, are:

- lesser whirlwinds
- funnel clouds*
- gust front vortices*
- tornadoes or waterspouts
- avalanches
- damaging lightning strikes

Uncountable events, that are recorded *per observation*, are:

- severe hailfall
- severe wind gust
- heavy rain
- heavy snowfall
- ice accumulations

* these events are deprecated (see below)

2.5 Merging of multiple reports of multiple events

In previous versions, it was possible to merge multiple countable events into one report, e.g. multiple tornadoes. In version 1.60(-csv) this use is deprecated. In other words, each event must get its own report in the database.

3. Event types and definitions

The types of severe weather covered are listed below. Their definitions follow from the *ESWD Event Reporting Criteria* document. Please note that some event types (funnel clouds, gustnadoes) are deprecated, which means that new reports of these types into the ESWD are discouraged. For each of the events, certain criteria must be met for them to be eligible for inclusion into the ESWD. These criteria can be found in the *ESWD Event Reporting Criteria* document.

AVALANCHE – avalanche

Definition: A rapid flow of (mainly) snow down a slope, which, because of its size, could bury a person or inflict serious damage.

DEVIL – Lesser whirlwinds (dust devils, sand devils, etc.)

Definition: Lesser whirlwinds are vortices not associated with convective storms. They are typically between a few metres to a few tens of metres in diameter and extending upward from the earth's surface but do not reach any cloud. They are rendered visible by material lifted off the earth's surface.

FUNNEL - funnel cloud

This event type is deprecated. New entries into the ESWD are discouraged, because funnel clouds do not cause damage and are easily misreported.

Definition: A vortex, typically between a few metres to a few tens of metres in diameter, extending downward from a convective cloud but not reaching the earth's surface, that is visible by condensation of water vapour, normally having a cone or tube shape.

GUSTNADO - gust front vortex (gustnado)

This event type is deprecated. New entries into the ESWD are discouraged. Any wind events that are not clearly tornadoes must now be reported as severe wind events.

Definition: A vortex occurring along the gust front of a convective storm and being visible by material that is lifted off the earth's surface, typically between a few metres to a few tens of metres in diameter, extending from the earth's surface upward but not extending to a cloud.

HAIL - severe hailfall

Definition: Hailstones that have a diameter (in the longest direction) of at least 2.0 centimetres, or hailstones that form a layer of 2.0 cm thickness or more on flat parts of the earth's surface.

ICE - Ice Accumulations

Definition: Accumulations of ice on the earth's surface and/or objects (such as power lines) in an amount that causes important disruptions of daily life and/or considerable material damage or economic damage, not including ice accumulations resulting primarily from snowfall. Ice accumulations may result from freezing rain, freezing drizzle, freezing fog or from direct deposition of water vapour, resulting in glaze, frost or rime.

LIGHTNING – damaging lightning

Definition: Any lightning phenomenon which has caused important damage to aircraft, vehicles, ships or structures, or which has injured or killed people or animals. In addition, any “exceptional lightning phenomenon which has caused - or is capable of causing – important damage may be reported.

PRECIP - heavy precipitation

Definition: Heavy rain defined here as rain falling in such large amounts, that significant damage is caused, or no damage is known, but exceptionally high* precipitation amounts have been observed within a period of at most 24 hours. Extreme rainfall on consecutive days must be reported separately in at most 24 hour periods.

SNOW – heavy snowfall

Definition: Snow (or snow grains) and/or snowstorm in an amount that causes - or is capable of causing - important disruptions of daily life and/or considerable material or economical damage.

TORNADO - tornado, waterspout

Definition: A vortex extending between a convective cloud and the earth's surface, in which the wind is strong enough to cause damage to objects. It may be visible by condensation of water (a funnel cloud) and/or by material (e.g. water, in case of a waterspout) that is lifted off the earth's surface.

WIND - severe wind gust

Definition: a gust measured to have a speed of at least 25 m/s or one doing such damage that a wind speed of 25 m/s or higher is likely to have occurred.

4. The *conventional* data format

4.1 *conventional* structure

The structure of the *conventional* data format can be summarized by the following hierarchy:

FILES contain **RECORDS** that contain **GROUPS** that contain **FIELDS**

Any data file consists of a number of records. Each record contains information about one event (or various events occurring in close spatiotemporal proximity, *see Section 2.5*).

Records are separated by two newline characters. A record consists of several groups, each marked by a group code. Each group starts on a new line. Every record contains three or four groups: INFO (record information), TIME&PLACE (general time and location), the event group and, possibly a PATH group.

A group consists of a number of fields. Every first field of a group is the group identifier and the second contains the group length. Fields are separated by the vertical bar character: |. A field contains one physical quantity or one type of information.

4.2 *conventional* field types

Fields can contain data of the following types:

format type	description
char	<i>alphabetic characters, spaces, numbers, all punctuation symbols except </i>
paragr.	<i>a combination of n times char, with $n \leq 1024$</i>
word	<i>a combination of n times char, with $n \leq 64$</i>
integer	<i>1 to 5 numerical characters constituting a positive integer number (max. 32767)</i>
numb.	<i>a numerical character</i>
x numb.	<i>x times a numerical character (this differs from integer because its length is not variable and leading zeroes are therefore retained, but can be read by a program as an integer).</i>
float	<i>numbers that may contain a decimal point.</i>

4.3 *conventional* field status

Fields can be *required* (req.), *optional* (opt.) or *deprecated* (dep.).

Required means that if the field is left empty, the data does not comply with the data format, which may cause errors in decoding. Events of which *required* information is not available may not be added to the database.

Optional fields may be left empty. This information should be given when available. Entering the number 0 indicates that the value of a the field is zero, not that no information is available.

Deprecated fields are fields that are retained to ensure backward compatibility, but their usage is discouraged for new data.

IMPORTANT: In version 1.60, a large number of fields have been deprecated, and others have changed status from optional to required or vice versa. Such changes have been indicated in red font.

4.4 conventional group and field descriptions

4.4.1 Group INFO – record information, source, revisions (req.)

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	INFO
2	group length	integer	req	15
3	record version	word	req	V01.60
4	record length	integer	req	number of groups of the entire record
5	QC level	word	req	<i>quality level of the report, see Appendix B</i> <i>one of the following keywords:</i>
				QC0 <i>as received</i>
				QC0+ <i>plausibility checked</i>
				QC1 <i>confirmed by reliable source</i>
				QC2 <i>scientific case study</i>
6	information sources	word	opt	<i>one or more of the following keywords, separated by a comma</i>
				NWSP <i>a newspaper</i>
				WWW <i>a web site</i>
				EMAIL <i>a report received by e-mail</i>
				TV <i>a television or radio broadcast</i>
				WX SVC <i>a weather service</i>
				SPTR <i>a storm spotter</i>
				LIT <i>scientific literature</i>
				OLIT <i>other literature</i>
				EYEWITN <i>an eyewitness</i>
				DMGEYEWITN <i>an eyewitness of the damage</i>
				EVT PHOTO <i>a photo or video of the event</i>
				DMG PHOTO <i>a photo or video of the damage</i>
				DMG SVY <i>a damage survey by a severe weather expert</i>
				GOV <i>government-based sources / administrative organisations</i>

7	external URL(s)	paragr.	opt	URL(s) of internet resources providing information about the report, separated by a space.
8	references	paragr.	opt	references to the source(s) of the report.
9	source name(s)	paragr.	req	name of the person who submitted the report
10	source e-mail	word	opt	e-mail address of this person
11	organization name	word	opt	name of this person's organization
12	spotter id	word	opt	identification code of the person making the report within his organization
13	no. of revisions	integer	req	number of revisions of the report the initial submission of the ESWD is 1.
14	name and organization of revisor	word	opt	last name and organization of person doing the last revision
15	date and time of last revision	word	req	<i>given in format "yyyymmdd hh:mm:ss"</i>

4.4.2 Group TIME&PLACE - time and place of initial event occurrence (req.)

Remark:

1. All times must be given in UTC time.

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	TIME&PLACE
2	group length	integer	req	21
3	year	4 numb.	req	<i>year, formatted as yyyy</i>
4	month	2 numb	req	<i>month (January = 01), formatted as mm</i>
5	day	2 numb.	req	<i>day in month (first day = 01), formatted as dd</i>
6	weekday	word	opt	<i>one of the following keywords:</i>
				MON <i>Monday</i>
				TUE <i>Tuesday</i>
				WED <i>Wednesday</i>
				THU <i>Thursday</i>
				FRI <i>Friday</i>
				SAT <i>Saturday</i>
				SUN <i>Sunday</i>
7	hours	2 numb.	req	hh
8	minutes	2 numb.	req	mm
9	time accuracy	word	req	<i>one of the following keywords:</i>
				<i>keyword the event has occurred...</i>
				1M <i>up to 30 seconds earlier or later...</i>
				5M <i>up to 2.5 minutes earlier or later...</i>
				15M <i>up to 7.5 minutes earlier or later...</i>
				30M <i>up to 15 minutes earlier or later...</i>
				1H <i>up to 30 minutes earlier or later...</i>
				3H <i>up to 1.5 hours earlier or later...</i>
				6H <i>up to 3 hours earlier or later...</i>
				12H <i>up to 6 hours earlier or later...</i>
				1D <i>up to 12 hours earlier or later...</i>
				GT1D <i>more than 12 hours earlier or later...</i>
				<i>...than specified in fields 3-8.</i>

10	country	word	req	two-character country code as specified in Appendix A.																		
11	administrative division	word	opt	first sub-national administrative division such as province, department, land, autonomous region etc.																		
12	place name	word	req	name of nearest town, settlement or observing station																		
13	place name in local language	word	opt	name of nearest town, settlement or observing station in local language, if different from field 12																		
14	detailed location description	paragr.	opt	description																		
15	nearest larger city	word	dep	location in words expressed with respect to the nearest larger city, e.g. <i>5 km S of Amsterdam, 10 km SSE of Stuttgart, near Basel.</i>																		
16	latitude	float	req	<i>decimal degrees north latitude (south is negative), e.g. 50.5000 is 50°30'00"</i>																		
17	longitude	float	req	<i>decimal degrees east longitude (west is negative)</i>																		
18	place accuracy	word	req	<p><i>one of the following keywords:</i></p> <table border="1"> <thead> <tr> <th><i>keyword</i></th> <th><i>the event has occurred...</i></th> </tr> </thead> <tbody> <tr> <td>1KM</td> <td><i>within 1km of the reported location...</i></td> </tr> <tr> <td>3KM</td> <td><i>within 3 km of the reported location.....</i></td> </tr> <tr> <td>5KM</td> <td><i>within 5 km of the reported location.....</i></td> </tr> <tr> <td>10KM</td> <td><i>within 10 km of the reported location...</i></td> </tr> <tr> <td>20KM</td> <td><i>within 20 km of the reported location...</i></td> </tr> <tr> <td>50KM</td> <td><i>within 50 km of the reported location...</i></td> </tr> <tr> <td>100KM</td> <td><i>up to 100 km of the reported location...</i></td> </tr> <tr> <td>GT100KM</td> <td><i>possibly more than 100 km away from the reported location...</i></td> </tr> </tbody> </table>	<i>keyword</i>	<i>the event has occurred...</i>	1KM	<i>within 1km of the reported location...</i>	3KM	<i>within 3 km of the reported location.....</i>	5KM	<i>within 5 km of the reported location.....</i>	10KM	<i>within 10 km of the reported location...</i>	20KM	<i>within 20 km of the reported location...</i>	50KM	<i>within 50 km of the reported location...</i>	100KM	<i>up to 100 km of the reported location...</i>	GT100KM	<i>possibly more than 100 km away from the reported location...</i>
<i>keyword</i>	<i>the event has occurred...</i>																					
1KM	<i>within 1km of the reported location...</i>																					
3KM	<i>within 3 km of the reported location.....</i>																					
5KM	<i>within 5 km of the reported location.....</i>																					
10KM	<i>within 10 km of the reported location...</i>																					
20KM	<i>within 20 km of the reported location...</i>																					
50KM	<i>within 50 km of the reported location...</i>																					
100KM	<i>up to 100 km of the reported location...</i>																					
GT100KM	<i>possibly more than 100 km away from the reported location...</i>																					
19	orography	word	dep	<i>one or more of the following keywords</i>																		

20	character of earth's surface at the initial event location	word	opt	<hr/> <p>FLAT <i>flat, definition: local terrain height variation <= 50 m</i></p> <p>HILLS <i>hilly, definition: local terrain height variation > 50 m and <= 500 m</i></p> <p>MTS <i>mountainous, definition: local terrain height variation > 500 m</i></p> <hr/> <p><i>one of the following keywords:</i></p> <hr/> <p>LAND <i>land surface</i></p> <p>WATER <i>a water surface</i></p> <p><i>This field and the following make it possible to distinguish tornadoes over land from waterspouts.</i></p> <p><i>The following keywords, or combinations thereof, separated by a comma, are deprecated:</i></p> <hr/> <p>RURAL <i>rural (crops, grassland, both or unknown)</i></p> <p>CROPS <i>rural, crops.</i></p> <p>GRASS <i>rural, grassland (pastures)</i></p> <p>SAND <i>sand,semi-)desert, beach, soil covered with very little vegetation)</i></p> <p>WILD <i>wilderness (steppe, dunes, soil covered with some vegetation)</i></p> <p>SWAMP <i>swamp</i></p> <p>ROCKS <i>rocks</i></p> <p>URBAN <i>urban, built-up zone</i></p> <p>FOREST <i>forest</i></p> <p>ICE <i>ice (glacier or ice-covered water)</i></p> <p>RIVER <i>river, canal</i></p> <p>SEA <i>sea, ocean</i></p> <p>LAKE <i>lake</i></p>
21	<i>all types of earth's surface crossed by the event</i>	word	opt	<hr/> <p><i>one or both of the following keywords, separated by a comma:</i></p> <hr/> <p>LAND <i>land surface</i></p> <p>WATER <i>a water surface</i></p> <p><i>Additionally, the deprecated keywords of field 19 or combinations thereof (separated by a comma, may occur).</i></p>

4.4.3 Group AVALANCHE

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	AVALANCHE
2	group length	integer	req	20
3	type of avalanche	word	opt	<i>either of these keywords:</i> <hr/> SLAB <i>a <u>slab avalanche</u>:</i> <i>the simultaneous release of a cohesive snow layer (slab) characterized by a distinct fracture line (or crown fracture) at the top of the avalanche.</i> LOOSE <i>a <u>loose snow avalanche</u>:</i> <i>an avalanche of dry or wet snow with no or low cohesion starting from a point fanning out downhill and leaving an inverted V-shaped scar.</i>
4	avalanche flow type	word	opt	<i>either of these keywords:</i> <hr/> DENSE <i>a <u>dense flow avalanche</u>:</i> <i>an avalanche with a primarily flowing, sliding, slipping motion.</i> POWDER <i>a <u>powder cloud avalanche</u>:</i> <i>an avalanche in which a large fraction of the snow is suspended by turbulence</i>
5	snow mass characteristics	word	opt	<i>either of these keywords:</i> <hr/> WETSNOW <i>a <u>wet snow avalanche</u>:</i> <i>an avalanche of wet snow; typically a slower avalanche of higher density</i> DRYSNOW <i>a <u>dry snow avalanche</u>:</i> <i>an avalanche of dry snow; typically faster but of lower density than a wet snow avalanche</i>

6	avalanche size	integer	opt	avalanche size expressed on the scale of the European Avalanche Warning Services (www.avalanches.org)																				
				<table border="1"> <thead> <tr> <th></th> <th><i>description</i></th> <th><i>path length</i></th> <th><i>volume</i></th> </tr> </thead> <tbody> <tr> <td>2</td> <td><i>small avalanche</i></td> <td><i>50 - 100 m</i></td> <td><i>10² - 10³ m³</i></td> </tr> <tr> <td>3</td> <td><i>medium avalanche</i></td> <td><i>100 m - 1 km</i></td> <td><i>10³ - 10⁴ m³</i></td> </tr> <tr> <td>4</td> <td><i>large avalanche</i></td> <td><i>1 - 2 km</i></td> <td><i>10⁴ - 10⁵ m³</i></td> </tr> <tr> <td>5</td> <td><i>very large avalanche</i></td> <td><i>~ 3 km</i></td> <td><i>> 10⁵ m³</i></td> </tr> </tbody> </table>		<i>description</i>	<i>path length</i>	<i>volume</i>	2	<i>small avalanche</i>	<i>50 - 100 m</i>	<i>10² - 10³ m³</i>	3	<i>medium avalanche</i>	<i>100 m - 1 km</i>	<i>10³ - 10⁴ m³</i>	4	<i>large avalanche</i>	<i>1 - 2 km</i>	<i>10⁴ - 10⁵ m³</i>	5	<i>very large avalanche</i>	<i>~ 3 km</i>	<i>> 10⁵ m³</i>
	<i>description</i>	<i>path length</i>	<i>volume</i>																					
2	<i>small avalanche</i>	<i>50 - 100 m</i>	<i>10² - 10³ m³</i>																					
3	<i>medium avalanche</i>	<i>100 m - 1 km</i>	<i>10³ - 10⁴ m³</i>																					
4	<i>large avalanche</i>	<i>1 - 2 km</i>	<i>10⁴ - 10⁵ m³</i>																					
5	<i>very large avalanche</i>	<i>~ 3 km</i>	<i>> 10⁵ m³</i>																					
7	avalanche trigger	word	opt	<p><i>either of these keywords:</i></p> <hr/> <p>NATURAL <i>release of an avalanche without being triggered by a person, explosives, etc.</i></p> <p>ARTIFICIAL <i>release of an avalanche by an external force (e.g. explosives, snow machines or machinery, people, wildlife).</i></p>																				
8	path length	float	opt	<i>in kilometres</i>																				
9	mean path width	float	opt	<i>in metres</i>																				
10	max. path width	float	opt	<i>in metres</i>																				
11	direction of movement	word	opt	direction of movement indicated as follows (from-to): N-S NNE-SSW, NE-SW, etc.																				
12	elevation of starting point	float	opt	<i>in metres</i>																				
13	elevation difference	float	opt	height difference between starting point and ending point of the avalanche <i>in metres</i>																				
14	property damage	word	opt	damage expressed in EUR (default unit) or in a specified other currency or quantity																				
15	crop/forest damage	word	opt	damage expressed in EUR (default unit) or in a specified other currency or quantity, such as m ³ of wood																				
16	total damage	word	opt	damage expressed in EUR (default unit) or in a specified other currency or quantity																				
17	number of people injured	integer	opt																					
18	number of people killed	integer	opt																					

- | | | | | |
|----|---|---------|-----|--|
| 19 | event description /
types of damage /
other remarks | paragr. | opt | |
| 20 | impacts | word | opt | coded impacts of this event.
<i>See Appendix C.</i> |

4.4.4 Group DEVIL – lesser whirlwind

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	DEVIL
2	group length	integer	req	18
3	number of whirlwinds	integer	opt	<i>blank implies 1</i>
4	F-scale	integer	opt	<i>max. intensity on the Fujita-scale</i>
5	T-scale	integer	opt	<i>max. intensity on the T-scale</i>
6	F/T rating basis	word	opt	<i>the basis for the rating indicated by one or more of the following keywords, separated by a comma:</i>
				RATING_DMGEYEWTN <i>an eye-witness report of the inflicted damage</i>
				RATING_DMGSVY <i>a damage survey by a severe weather expert</i>
				RATING_DMGPOTO <i>photographs / video footage of the inflicted damage</i>
				RATING_DMGTXT <i>a written account of the damage (e.g. in a newspaper)</i>
				RATING_WIND <i>a measured wind speed</i>
7	wind speed	float	opt	<i>in m/s. only measured wind speeds should be given here, no estimates</i>
8	total event duration	float	opt	<i>in minutes</i>
9	path length	float	opt	<i>in kilometres</i>
10	mean path width	float	opt	<i>in metres</i>
11	max. path width	float	opt	<i>in metres</i>
12	direction of movement	word	opt	direction indicated as follows (from-to): N-S NNE-SSW, NE-SW, etc.
13	property damage	word	opt	damage expressed in EUR (default unit) or in a specified other currency or quantity
14	crop/forest damage	word	opt	damage expressed in EUR (default unit) or in a specified other currency or quantity, such as m ³ of wood
15	total damage	word	opt	damage expressed in EUR (default unit) or in a specified other currency or quantity

16	number of people injured	integer	opt	
17	number of people killed	integer	opt	
18	event description / types of damage / other remarks	paragr.	opt	
19	impacts	word	opt	coded impacts of this event. <i>See Appendix C.</i>

4.4.5 Group FUNNEL - funnel cloud

This event type is deprecated. Its use is discouraged.

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	FUNNEL
2	group length	integer	req	7
3	number of funnel clouds	integer	opt	<i>blank implies 1</i>
4	total event duration	float	opt	<i>in minutes</i>
5	max. vertical development	integer	opt	<i>in percentage of the distance cloud-ground. (e.g. 25% is one quarter of the distance from the cloud to the ground)</i>
6	direction of movement	word	opt	direction indicated as follows (from-to): N-S NNE-SSW, NE-SW, etc.
7	event description / types of damage / other remarks	paragr.	opt	

4.4.6 Group GUSTNADO - gust front vortex (gustnado)

This event type is deprecated. Its use is discouraged.

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	GUSTNADO
2	group length	integer	req	20
3	number of gustnadoes	integer	opt	<i>blank implies 1</i>
4	F-scale	integer	opt	<i>max. intensity on the Fujita-scale</i>
5	T-scale	integer	opt	<i>max. intensity on the T-scale</i>
6	F/T rating basis	word	opt	<i>the basis of the rating should be indicated by one or more of the following keywords, separated by a comma:</i>
				RATING_DMGEYEWTN <i>an eye-witness report of the inflicted damage</i>
				RATING_DMGSVY <i>a damage survey by a severe weather expert</i>
				RATING_DMGPHOTO <i>photographs / video footage of the inflicted damage</i>
				RATING_DMGTEXT <i>a written account of the damage (e.g. in a newspaper)</i>
				RATING_WIND <i>a measured wind speed</i>
7	wind speed	float	opt	<i>in m/s only measured wind speeds should be given in the field, no estimates.</i>
8	total event duration	float	opt	<i>in minutes</i>
9	type of precipitation	word	dep	<i>all types of precipitation that are known to have occurred within 5 minutes of the event time and within 3 kilometres distance of the event, i.e. one or more of the following values separated by a comma:</i>
				HRAIN <i>heavy rain</i>
				LRAIN <i>light or moderate rain</i>

				LGHAIL	<i>large hail (2.0 cm in diameter or larger)</i>
				MEDHAIL	<i>hail (0.5 – 1.9 mm in diameter)</i>
				GRAINS	<i>graupel, small hail or snow grains (<0.5 mm in diameter)</i>
				HAILUNK	<i>hail (unknown diameter)</i>
				HSNOW	<i>heavy snowfall</i>
				LSNOW	<i>light or moderate snowfall</i>
				DUST	<i>dust or sand raised by the wind, thereby limiting visibility</i>
				DRY	<i>no precipitation, dust or sand</i>
10	size of accompanying hail	float	opt		<i>in centimetres. the hail should have occurred within 5 minutes of the event time and within 3 kilometres distance of the event</i>
11	path length	float	opt		<i>in kilometres</i>
12	mean path width	float	opt		<i>in metres</i>
13	max. path width	float	opt		<i>in metres</i>
14	direction of movement	word	opt		direction of movement indicated as follows (from-to): N-S NNE-SSW, NE-SW, etc.
15	property damage	word	opt		damage expressed in EUR (default unit) or in a specified other currency or quantity
16	crop/forest damage	word	opt		damage expressed in EUR (default unit) or in a specified other currency or quantity, such as m ³ of wood
17	total damage	word	opt		damage expressed in EUR (default unit) or in a specified other currency or quantity
18	number of people injured	integer	opt		
19	number of people killed	integer	opt		
20	event description / types of damage / other remarks	paragr.	opt		

4.4.7 Group HAIL - severe hailfall

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	HAIL
2	group length	integer	req	15
3	max. hail diameter	float	opt	<i>in centimetres</i>
4	max. hailstone weight	float	opt	<i>in grams</i>
5	average hailstone diameter	float	dep	<i>in centimetres</i>
6	thickness of accumulated hail layer	float	opt	<i>in centimetres</i>
7	hail stone characteristics	word	dep	<p><i>all of the following hailstone characteristics that apply, i.e. one or more of the following values separated by a comma:</i></p> <hr/> <p>AGGR <i>aggregates formed while in air</i></p> <p>CLEAR <i>hailstones of clear ice</i></p> <p>CONE <i>cone-shaped hail</i></p> <p>OBLATE <i>hailstones with oblate shape ("squeezed ball")</i></p> <p>POROUS <i>porous (white ice) hailstones</i></p> <p>RINGS <i>hailstones contain rings of white and clear ice</i></p> <p>SPIKES <i>spiky stones</i></p>
8	local event duration	float	opt	<i>the time a particular place was affected by hailfall, in minutes</i>
9	property damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
10	crop/forest damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
11	total damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
12	number of people injured	integer	opt	
13	number of people killed	integer	opt	

- | | | | | |
|----|---|---------|-----|--|
| 14 | event description /
types of damage /
other remarks | paragr. | opt | |
| 15 | impacts | word | opt | coded impacts of this event.
<i>See Appendix C.</i> |

4.4.8 Group ICE – Icing hazards

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	ICE
2	group length	integer	req	15
3	ice hazards	word	opt	<p><i>all of the following that apply, i.e. one or more of the following keywords separated by a comma:</i></p> <hr/> <p>GLAZE <i>a coating of ice, generally clear and smooth, formed by the freezing of a film of supercooled water. Also known as clear ice or black ice.</i></p> <p>FROST <i>fuzzy layer of ice crystals on a cold object, forming by direct deposition of water vapor to solid ice</i></p> <p>RIME <i>a white or milky and opaque granular deposit of ice formed by the rapid freezing of supercooled water drops as they impinge upon an exposed object</i></p>
4	thickness of glaze cover	float	opt	<i>in millimetres</i>
5	thickness of rime or frost cover	float	opt	<i>in millimetres</i>
6	frozen precipitation amount	float	opt	measured amount of precipitation that has contributed to the ice layer <i>in millimetres water equivalent</i>
7	duration of precipitation	float	opt	duration of the precipitation <i>in hours</i>
8	convective nature	word	dep	<p><i>Did the precipitation fall in connection with deep moist convection? One of the following values:</i></p> <hr/> <p>CONV <i>convective</i></p> <p>PARTLYCONV <i>partly convective</i></p> <p>NONCONV <i>nonconvective</i></p> <p>UNCERTAIN <i>uncertain</i></p>
9	property damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity

10	crop/forest damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
11	total damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
12	number of people injured	integer	opt	
13	number of people killed	integer	opt	
14	event description / types of damage / other remarks	paragr.	opt	
15	impacts	word	opt	coded impacts of this event. <i>See Appendix C.</i>

4.4.9 Group LIGHTNING – damaging lightning

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	LIGHTNING
2	group length	integer	req	13
3	objects struck	word	opt	All objects directly struck by this lightning strike. <i>One or more of the following keywords, separated by a comma:</i> <hr/> AIRCRAFT <i>e.g. an aeroplane or helicopter</i> ANIMAL <i>cattle or other large animals</i> BUILDING <i>build-up structures</i> OVERHEAD <i>overhead lines of transport infrastructure (catenary)</i> PERSON <i>persons or groups of persons</i> POWERLINE <i>powerline</i> SHIP <i>any vessels in water</i> VEGETATION <i>vegetation (i.e. causing wildfires)</i> VEHICLE <i>any vehicles on land, such as cars, lorries, etc.</i>
4	peak current	float	opt	peak current measured by lightning detection network <i>in kA (kiloampere)</i>
5	polarity	word	opt	polarity of the lightning strike as determined by a lightning detection network <i>either of the following keywords:</i> <hr/> POS <i>a discharge between a cloud and the ground that lowers positive charge to the ground</i> NEG <i>a discharge between a cloud and the ground that lowers negative charge to the ground</i>
6	exceptional electrical phenomenon	float	opt	<i>One or more of the following keywords:</i> <hr/> BALL <i>ball lightning</i> OELP <i>other exceptionallighting phenomenon, explained in field</i> 12

7	property damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
8	crop/forest damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
9	total damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
10	number of people injured	integer	opt	
11	number of people killed	integer	opt	
12	event description / types of damage / other remarks	paragr.	opt	
13	impacts	word	opt	coded impacts of this event. <i>See Appendix C.</i>

4.4.10 Group PRECIP - heavy precipitation

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	PRECIP
2	group length	integer	req	17
3	precipitation amount	float	opt	<i>in millimetres</i>
4	duration of accumulation	float	opt	<i>in hours required if field 3 is provided</i>
5	precipitation amount in peak period	float	opt	the accumulation within a time period during which the precipitation rate was exceptionally high (peak period) may be reported here, <i>in millimetres</i>
6	duration of peak period	float	opt	duration of the peak period, <i>in hours</i>
7	max. 6 hour accumulated precipitation	float	opt	<i>during the 0-6, 6-12, 12-18, or 18-00 UTC interval in which the time given falls. If the time given is exactly 00, 06, 12 or 18 UTC, the previous 6-hour period is meant.</i>
8	max. 12 hour accumulated precipitation	float	opt	<i>during the 00-12, 12-00 UTC interval in which the time given falls. If the time given is exactly 00, or 12 UTC, the previous 12-hour period is meant.</i>
9	max. 24 hour accumulated precipitation	float	opt	<i>during the 24 hour period in which the given time falls</i>
10	convective nature	word	dep	<i>Did the precipitation fall in connection with deep moist convection? One of the following values:</i> <hr/> CONV <i>convective</i> PARTLYCONV <i>partly convective</i> NONCONV <i>nonconvective</i> UNCERTAIN <i>uncertain</i>
11	property damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
12	crop/forest damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantit
13	total damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity

14	number of people injured	integer	opt	
15	number of people killed	integer	opt	
16	event description / types of damage / other remarks	paragr.	opt	
17	impacts	word	opt	coded impacts of this event. <i>See Appendix C.</i>

4.4.11 Group SNOW - heavy snowfall and/or snowstorm

Definition: Snow (or snow grains) and/or snowstorm in an amount that causes - or is capable of causing - important disruptions of daily life and/or considerable material or economical damage.

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	SNOW
2	group length	integer	req	25
3	snowfall amount	float	opt	<i>in centimetres</i>
4	equivalent liquid precipitation	float	opt	equivalent liquid precipitation, <i>in millimeters</i>
5	duration of accumulation of the amount in field 3	float	opt	<i>in hours</i> <i>required if field 3 is provided</i>
6	snowfall amount in peak period	float	opt	the accumulation within a time period during which the snowfall rate was exceptionally high (peak period) may be reported here, <i>in centimetres</i>
7	equivalent liquid precipitation in peak period	float	dep	the snow water equivalent of snow accumulation within a time period during which the snowfall rate was exceptionally high (peak period) may be reported here, <i>in millimeters</i>
8	duration of peak period	float	opt	duration of peak period, <i>in hours</i> <i>required if field 5 is provided</i>
9	max. 6 hour accumulated snow	float	opt	<i>during the 0-6, 6-12, 12-18, or 18-00 UTC interval in which the time given falls. If the time given is exactly 00, 06, 12 or 18 UTC, the previous 6-hour period is meant, in centimeters</i>
10	max. 6 hour equivalent liquid precipitation	float	opt	<i>during the 0-6, 6-12, 12-18, or 18-00 UTC interval in which the time given falls. If the time given is exactly 00, 06, 12 or 18 UTC, the previous 6-hour period is meant, in millimeters</i>
11	max. 12 hour accumulated snow	float	opt	<i>during the 00-12, 12-00 UTC interval in which the time given falls. If the time given is exactly 00, or 12 UTC, the previous 12-hour period is meant, in centimeters</i>

12	max. 12 hour equivalent liquid precipitation	float	opt	during the 00-12, 12-00 UTC interval in which the time given falls. If the time given is exactly 00, or 12 UTC, the previous 12-hour period is meant, in millimeters
13	max. 24 hour accumulated snow	float	opt	during the 24 hour period in which the given time falls, in centimeters
14	max. 24 hour equivalent liquid precipitation	float	opt	during the 24 hour period in which the given time falls, in millimeters
15	characteristics	word	opt	Applicable characteristics of the snowfall. One or more of the following values should be given, separated by a comma: <hr/> DRIFT <i>drifting snow occurred (snow blowing below eye-height), but no blowing snow</i> BLOW <i>blowing snow occurred (snow blowing above eye-height)</i> SNDRIFT <i>a combination of falling and drifting snow, but no blowing snow</i> SNBLOW <i>a combination of falling and blowing snow</i> WHITEOUT <i>whiteout conditions occurred, i.e. a reduction of visibility reduces near zero and/or disappearance of horizon as well as reference points because of diffuse light conditions in cloudy snow cover environments or extreme blowing snow or extreme snowfall or dense fog in snow cover environments</i>
16	mean height of dunes or cornices	float	dep	mean height of fresh snow cornices or snow dunes in open areas <i>in centimetres</i>
17	max height of dunes or cornices	float	dep	maximum height of fresh snow cornices or snow dunes in open areas <i>in centimetres</i>
18	convective nature	word	dep	Did the precipitation fall in connection with deep moist convection? One of the following values: <hr/> CONV <i>convective</i> PARTLYCONV <i>partly convective</i> NONCONV <i>nonconvective</i>

				UNCERTAIN <i>uncertain</i>
19	property damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
20	crop/forest damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
21	total damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
22	number of people injured	integer	opt	
23	number of people killed	integer	opt	
24	event description / types of damage / other remarks	paragr.	opt	
25	impacts	word	opt	coded impacts of this event. See Appendix C.

4.4.12 Group TORNADO - tornado, waterspout

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	TORNADO
2	group length	integer	req	24
3	number of tornadoes	integer	opt	<i>if not given, 1 is implied</i>
4	F-scale	integer	opt	maximum intensity expressed on the Fujita scale
5	T-scale	integer	opt	maximum intensity expressed on the T-scale
6	rating basis	word	opt	<i>the basis of the rating should be indicated by one or more of the following keywords, separated by a comma:</i> <hr/> RATING_DMGEYEWTN <i>an eye-witness report of the inflicted damage</i> RATING_DMGSVY <i>a damage survey by a severe weather expert</i> RATING_DMGPHOTO <i>photographs / video footage of the inflicted damage</i> RATING_DMGTEXT <i>a written account of the damage (e.g. in a newspaper)</i> RATING_WIND <i>a measured wind speed</i>
7	wind speed	float	opt	<i>the highest measured wind speed attributable to the tornado in m/s</i>
8	funnel sighted	word	opt	<i>was there a funnel cloud of the tornado visually observed (not necessarily reaching the ground)?</i> <i>One of the following keywords:</i> <hr/> FNLOBS <i>funnel observed</i> NOFNLOBS <i>nofunnel observed</i>
9	suction vortices observed	word	dep	<i>Have suction vortices been observed that were embedded in the larger tornadic parent circulation, indicating that this was a multi-vortex tornado?</i> <i>One of the following keywords:</i> <hr/> SVTCSOBS <i>suction vortices observed</i>

				NOSVTCSOBS <i>nosuction vortices observed</i>
10	type of precipitation	word	dep	<i>all types of precipitation that are known to have occurred within 5 minutes of the event time and within 3 kilometres distance of the event, i.e. one or more of the following values separated by a comma:</i>
				<hr/>
				HRAIN <i>heavy rain</i>
				LRAIN <i>light or moderate rain</i>
				LGHAIL <i>large hail (2.0 cm in diameter or larger)</i>
				MEDHAIL <i>hail (0.5 – 1.9 mm in diameter)</i>
				GRAINS <i>graupel, small hail or snow grains (<0.5 mm in diameter)</i>
				HAILUNK <i>hail (unknown diameter)</i>
				HSNOW <i>heavy snowfall</i>
				LSNOW <i>light or moderate snowfall</i>
				DUST <i>dust or sand raised by the wind, thereby limiting visibility</i>
				DRY <i>no precipitation, dust or sand</i>
11	size of accompanying hail	float	dep	<i>in centimetres (the hail should have occurred within 5 minutes of the event time and within 3 kilometres distance of the event)</i>
12	possibilities	word	dep	<i>none, either or both of the following keywords:</i>
				<hr/>
				POSSGUSTNADO <i>It is possible that the wind damage is caused by a gustnado instead of a tornado, but there is not enough evidence to confirm this. (please provide information in event description field 23)</i>
				POSSDEVIL <i>It is possible that the wind damage is caused by a lesser whirlwind instead of a tornado, but there is not enough evidence to confirm this. (please provide information in event description field 23)</i>

13	total event duration	float	opt	<i>in minutes</i>
14	path length	float	opt	<i>in kilometres</i>
15	mean path width	float	opt	<i>in metres</i>
16	max. path width	float	opt	<i>in metres</i>
17	direction of movement	word	opt	direction indicated as follows (from-to): N-S NNE-SSW, NE-SW, <i>etc.</i>
18	property damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
19	crop/forest damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity, such as m ³ of wood
20	total damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
21	number of people injured	integer	opt	
22	number of people killed	integer	opt	
23	event description / types of damage / other remarks	paragr.	opt	
24	impacts	word	opt	coded impacts of this event. <i>See Appendix C.</i>

4.4.13 Group WIND - severe wind gust

Definition: Measured wind speeds of 25 m/s or higher, or wind damage inflicted by winds that were likely stronger than 25 m/s.

Remark:

1. Provide an F- or T-scale rating only when a reasonably accurate estimate can be given.

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	WIND
2	group length	integer	req	23
3	F-scale	integer	opt	maximum intensity expressed on the Fujita scale
4	T-scale	integer	opt	maximum intensity expressed on the T-scale
5	rating basis	word	opt	<i>the basis of the rating should be indicated by one or more of the following keywords, separated by a comma:</i>
				RATING_DMGEYEWTN <i>an eye-witness report of the inflicted damage</i>
				RATING_DMGSVY <i>a damage survey by a severe weather expert</i>
				RATING_DMGPHOTO <i>photographs / video footage of the inflicted damage</i>
				RATING_DMGTEXT <i>a written account of the damage (e.g. in a newspaper)</i>
				RATING_WIND <i>a measured wind speed</i>
6	wind speed	float	opt	<i>the highest measured wind gust attributable to the reported event in m/s</i>
7	10 min. average wind speed	float	dep	<i>the highest measured 10 minute-averaged wind speed</i>
8	local event duration	float	dep	<i>the duration of the event at a particular fixed location</i>
9	convective nature	word	dep	<i>Was the gust associated with deep moist convection? One of the following values:</i>
				CONV <i>convective</i>

				PARTLYCONV	<i>partly convective</i>
				NONCONV	<i>nonconvective</i>
				UNCERTAIN	<i>uncertain</i>
10	type of precipitation	word	dep	<i>all types of precipitation that are known to have occurred within 5 minutes of the event time and within 3 kilometres distance of the event, i.e. one or more of the following values separated by a comma:</i>	
				HRAIN	<i>heavy rain</i>
				LRAIN	<i>light or moderate rain</i>
				LGHAIL	<i>large hail (2.0 cm in diameter or larger)</i>
				MEDHAIL	<i>hail (0.5 – 1.9 mm in diameter)</i>
				GRAINS	<i>graupel, small hail or snow grains (<0.5 mm in diameter)</i>
				HAILUNK	<i>hail (unknown diameter)</i>
				HSNOW	<i>heavy snowfall</i>
				LSNOW	<i>light or moderate snowfall</i>
				DUST	<i>dust or sand raised by the wind, thereby limiting visibility</i>
				DRY	<i>no precipitation, dust or sand</i>
11	size of accompanying hail	float	dep	<i>in centimetres (the hail should have occurred within 5 minutes of the event time and within 3 kilometres distance of the event)</i>	
12	possibilities	word	opt	<i>one or more of the following keywords, separated by a comma:</i>	
				POSTORNADO	<i>It is possible that the wind damage is caused by a tornado, but there is not enough evidence to confirm this. (please provide information in event description field)</i>
				depreciated:	
				POSSGUSTNADO	<i>It is possible that the wind damage is caused by a gustnado instead of a tornado, but there is not enough evidence to confirm this. (please provide information in event description field 23)</i>

				<p>deprecated: POSSDEVIL</p> <p><i>It is possible that the wind damage is caused by a lesser whirlwind instead of a tornado, but there is not enough evidence to confirm this. (please provide information in event description field 23)</i></p>
13	path length	float	opt	<i>in kilometres (in case a damage path was observed)</i>
14	mean path width	float	opt	<i>in metres</i>
15	max. path width	float	opt	<i>in metres</i>
16	direction of movement	word	opt	direction indicated as follows (from-to): N-S NNE-SSW, NE-SW, etc.
17	property damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
18	crop/forest damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity, such as m ³ of wood
19	total damage	word	dep	damage expressed in EUR (default unit) or in a specified other currency or quantity
20	number of people injured	integer	opt	
21	number of people killed	integer	opt	
22	event description / types of damage / other remarks	paragr.	opt	
23	impacts	word	opt	<i>coded impacts of this event. See Appendix C.</i>

4.4.14 Group SIMPLEPATH - path of phenomenon (opt.)

To indicate paths of tornadoes or lesser whirlwinds, this group simplepath can be used.

#	field name	type	status	possible value(s) and description
1	group identifier	word	req	PATH
2	group length	integer	req	10
3	start latitude	float	req	
4	start longitude	float	req	
5	start hour	2 numb.	opt	hh
6	start minutes	2 numb.	opt	mm
7	end latitude	float	req	
8	end longitude	float	req	
9	end hour	2 numb.	opt	hh
10	end minutes	2 numb.	opt	mm

5 The csv data format

5.1 csv structure

The structure of the *csv* data format is a hierarchy with one level less than the *conventional* format.

FILES contain **RECORDS** that contain **FIELDS**

Any data file consists of a number of records. Each record contains information about one event (or various events occurring in close spatiotemporal proximity, *see Section 2.5*).

Records are separated by a newline character. A record consists of 90 fields separated by the character “|”. A field contains one physical quantity or one type of information.

- Fields of a record are separated by the separation character comma (",") excluding the last element of the line.
- Fields may contain a comma, which in that case is enclosed in double quotation marks ("")
- An entry can not contain line break.
- Any white-spaces at the start of a line, just after a separating comma, just before a separating comma, or just before a newline character are ignored.
- An entry may contain a double quote. The double quote must be escaped by a double quote before it, i.e. ("") represents (").

The above rules ensure that the files comply with the *de facto* csv (comma separated value) standard, that can be imported into various data processing and spreadsheet programs.

5.2 csv field types

Fields can contain data in the following formats. It is important to comply with this to ensure that the decoding be carried out without errors.

type	description
varchar2(n)	<i>Variable length character string having maximum length n bytes.</i>
number	<i>Floating point number</i>
number(n)	<i>Number with precision n</i>
date	<i>Valid date range, represented as YYYY-MM-DD HH:mm:SS</i>

5.3 csv field status

Fields can be *optional* (**opt**) or *required* (**req**) Some optional fields are *deprecated*.

Optional fields may be left empty without any consequence. The usage of *deprecated* optional fields is discouraged and for new events it is suggested that they be left empty.

Where *required* fields are left empty, essential information is missing and the report cannot be used for scientific analysis. Moreover, the violation of the data format specification may render software unable to parse the data.

5.4 csv fields

The table describes the entire conventional string representing one single report. In this table, the field names have sometimes been broken across two lines.

#	field name	type	status	possible value(s) and description
1	ID	number	req	the report's ID number in the ESWD database at ESSL. <i>Although this is a required field, when importing new data into the ESWD this field may be left empty, as the database will assign this number automatically.</i>
2	QC_LEVEL	varchar2(3)	req	quality level of the report, see Appendix B one of the following keywords: <hr/> QC0 <i>as received</i> QC0+ <i>plausibility checked</i> QC1 <i>confirmed by reliable source</i> QC2 <i>scientific case study</i>
3	INFO_SOURCE	number	req	one or more of the following keywords, separated by a comma <hr/> NWSP <i>a newspaper</i> WWW <i>a web site</i> EMAIL <i>a report received by e-mail</i> TV <i>a television or radio broadcast</i> WXSVC <i>a weather service</i> SPTR <i>a storm spotter</i> LIT <i>scientific literature</i> OLIT <i>other literature</i> EYEWITN <i>an eyewitness</i> DMGEYEWITN <i>an eyewitness of the damage</i> EVTPHOTO <i>a photo or video of the event</i> DMGPHOTO <i>a photo or video of the damage</i> DMGSVY <i>a damage survey by a severe weather expert</i>

				GOV	<i>government-based sources / administrative organisations</i>																						
4	CONTACT	varchar2(200)	req	name of the person who submitted the report																							
5	E-MAIL	varchar2(50)	req	e-mail address of this person																							
6	ORGANISATION	varchar2(255)	opt	name of this person's organization																							
7	ORGANISATION_ID	varchar2(255)	opt	identification code of the person making the report within his organization																							
8	NO_REVISION	number	req	an integer representing the number of revision of the entry, where 1 means the submission to the database																							
9	PERSON_REVISION	varchar2(255)	opt	last name and/or organization of person doing the last revision																							
10	TIME_EVENT	date	req	time (UTC) of the event, formatted as: YYYY-MM-DD HH:mm:SS																							
11	TIME_CREATION	date	req	time (UTC) the report was submitted to the database, formatted as: YYYY-MM-DD HH:mm:SS																							
12	TIME_LAST_REVISION	date	req	time (UTC) of the report's last revision, formatted as: YYYY-MM-DD HH:mm:SS																							
13	TIME_ACCURACY	varchar2(50)	req	<i>one of the following keywords:</i> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>keyword</i></th> <th style="text-align: left;"><i>the event has occurred...</i></th> </tr> </thead> <tbody> <tr> <td>1M</td> <td><i>up to 30 seconds earlier or later</i></td> </tr> <tr> <td>5M</td> <td><i>up to 2.5 minutes earlier or later...</i></td> </tr> <tr> <td>15M</td> <td><i>up to 7.5 minutes earlier or later...</i></td> </tr> <tr> <td>30M</td> <td><i>up to 15 minutes earlier or later...</i></td> </tr> <tr> <td>1H</td> <td><i>up to 30 minutes earlier or later...</i></td> </tr> <tr> <td>3H</td> <td><i>up to 1.5 hours earlier or later...</i></td> </tr> <tr> <td>6H</td> <td><i>up to 3 hours earlier or later...</i></td> </tr> <tr> <td>12H</td> <td><i>up to 6 hours earlier or later...</i></td> </tr> <tr> <td>1D</td> <td><i>up to 12 hours earlier or later...</i></td> </tr> <tr> <td>GT1D</td> <td><i>more than 12 hours earlier or later... ...than specified in fields 3-8.</i></td> </tr> </tbody> </table>		<i>keyword</i>	<i>the event has occurred...</i>	1M	<i>up to 30 seconds earlier or later</i>	5M	<i>up to 2.5 minutes earlier or later...</i>	15M	<i>up to 7.5 minutes earlier or later...</i>	30M	<i>up to 15 minutes earlier or later...</i>	1H	<i>up to 30 minutes earlier or later...</i>	3H	<i>up to 1.5 hours earlier or later...</i>	6H	<i>up to 3 hours earlier or later...</i>	12H	<i>up to 6 hours earlier or later...</i>	1D	<i>up to 12 hours earlier or later...</i>	GT1D	<i>more than 12 hours earlier or later... ...than specified in fields 3-8.</i>
<i>keyword</i>	<i>the event has occurred...</i>																										
1M	<i>up to 30 seconds earlier or later</i>																										
5M	<i>up to 2.5 minutes earlier or later...</i>																										
15M	<i>up to 7.5 minutes earlier or later...</i>																										
30M	<i>up to 15 minutes earlier or later...</i>																										
1H	<i>up to 30 minutes earlier or later...</i>																										
3H	<i>up to 1.5 hours earlier or later...</i>																										
6H	<i>up to 3 hours earlier or later...</i>																										
12H	<i>up to 6 hours earlier or later...</i>																										
1D	<i>up to 12 hours earlier or later...</i>																										
GT1D	<i>more than 12 hours earlier or later... ...than specified in fields 3-8.</i>																										
14	COUNTRY	varchar2(2)	req	two-character country code according to Appendix A																							

15	STATE	varchar2(50)	opt	first sub-national administrative division such as province, department, land, autonomous region etc.																		
16	PLACE	varchar2(255)	req	name of nearest town, settlement or observing station																		
17	PLACE_ LOCAL_ LANGUAGE	varchar2(255)	opt	name of nearest town, settlement or observing station in local language, if different from field 16																		
18	DETAILED_ LOCATION	varchar(4000)	opt	more precise description of location																		
19	NEAREST_ CITY	varchar(255)	opt	location in words expressed with respect to the nearest larger city																		
20	LATITUDE	number	req	decimal degrees north latitude (south is negative), e.g. 50.5000 is 50°30'00" N																		
21	LONGITUDE	number	req	decimal degrees east longitude (west is negative), e.g. -12.5000 is 12°30'00" W																		
22	PLACE_ ACCURACY	varchar2(50)	req	<p><i>one of the following keywords:</i></p> <table border="1"> <thead> <tr> <th><i>keyword</i></th> <th><i>the event has occurred...</i></th> </tr> </thead> <tbody> <tr> <td>1KM</td> <td><i>within 1km of the reported location...</i></td> </tr> <tr> <td>3KM</td> <td><i>within 3 km of the reported location...</i></td> </tr> <tr> <td>5KM</td> <td><i>within 5 km of the reported location...</i></td> </tr> <tr> <td>10KM</td> <td><i>within 10 km of the reported location...</i></td> </tr> <tr> <td>20KM</td> <td><i>within 20 km of the reported location...</i></td> </tr> <tr> <td>50KM</td> <td><i>within 50 km of the reported location...</i></td> </tr> <tr> <td>100KM</td> <td><i>up to 100 km of the reported location...</i></td> </tr> <tr> <td>GT100KM</td> <td><i>possibly more than 100 km away from the reported location...</i></td> </tr> </tbody> </table>	<i>keyword</i>	<i>the event has occurred...</i>	1KM	<i>within 1km of the reported location...</i>	3KM	<i>within 3 km of the reported location...</i>	5KM	<i>within 5 km of the reported location...</i>	10KM	<i>within 10 km of the reported location...</i>	20KM	<i>within 20 km of the reported location...</i>	50KM	<i>within 50 km of the reported location...</i>	100KM	<i>up to 100 km of the reported location...</i>	GT100KM	<i>possibly more than 100 km away from the reported location...</i>
<i>keyword</i>	<i>the event has occurred...</i>																					
1KM	<i>within 1km of the reported location...</i>																					
3KM	<i>within 3 km of the reported location...</i>																					
5KM	<i>within 5 km of the reported location...</i>																					
10KM	<i>within 10 km of the reported location...</i>																					
20KM	<i>within 20 km of the reported location...</i>																					
50KM	<i>within 50 km of the reported location...</i>																					
100KM	<i>up to 100 km of the reported location...</i>																					
GT100KM	<i>possibly more than 100 km away from the reported location...</i>																					
23	OROGRAPHY	number	dep	<i>the sum of all applicable options:</i>																		

24	SURFACE_ INITIAL_ LOCATION	varchar(255)	opt	<hr/> <p>1 <i>flat, definition: local terrain height variation <= 50 m</i></p> <p>2 <i>hilly, definition: local terrain height variation > 50 m and <= 500 m</i></p> <p>4 <i>mountainous, definition: local terrain height variation > 500 m</i></p> <hr/> <p><i>one of the following keywords:</i></p> <hr/> <p>LAND <i>land surface</i></p> <p>WATER <i>a water surface</i></p> <p><i>This field and the following make it possible to distinguish tornadoes over land from waterspouts.</i></p> <p><i>the following keywords are deprecated:</i></p> <hr/> <p>RURAL <i>rural (crops, grassland, both or unknown)</i></p> <p>CROPS <i>rural, crops.</i></p> <p>GRASS <i>rural, grassland (pastures)</i></p> <p>SAND <i>sand,semi-)desert, beach, soil covered with very little vegetation)</i></p> <p>WILD <i>wilderness (steppe, dunes, soil covered with some vegetation)</i></p> <p>SWAMP <i>swamp</i></p> <p>ROCKS <i>rocks</i></p> <p>URBAN <i>urban, built-up zone</i></p> <p>FOREST <i>forest</i></p> <p>ICE <i>ice (glacier or ice-covered water)</i></p> <p>RIVER <i>river, canal</i></p> <p>SEA <i>sea, ocean</i></p> <p>LAKE <i>lake</i></p>
25	SURFACE_ CROSSED	number	opt	<hr/> <p><i>the sum of all applicable options:</i></p> <hr/> <p>1 LAND <i>land surface</i></p> <p>2 WATER <i>a water surface</i></p> <hr/> <p><i>the following options are deprecated:</i></p> <hr/> <p>4 RURAL <i>rural (crops, grassland, both or unknown)</i></p> <p>8 CROPS <i>rural, crops.</i></p> <p>16 GRASS <i>rural, grassland (pastures)</i></p>

				32 SAND <i>sand,semi-)desert, beach, soil covered with very little vegetation)</i> 64 WILD <i>wilderness (steppe, dunes, soil covered with some vegetation)</i> 128 SWAMP <i>swamp</i> 256 ROCKS <i>rocks</i> 512 URBAN <i>urban, built-up zone</i> 1024 FOREST <i>forest</i> 2048 ICE <i>ice (glacier or ice-covered water)</i> 4096 RIVER <i>river, canal</i> 8192 SEA <i>sea, ocean</i> 16384 LAKE <i>lake</i>
26	TYPE_EVENT	varchar2(255)	req	<i>any of the following keywords (those marked with * are deprecated and should not be used for new reports):</i> <hr/> AVALANCHE <i>avalanche</i> DEVIL <i>lesser whirlwind</i> FUNNEL <i>funnel cloud*</i> GUSTNADO <i>gust front vortex (gustnado)*</i> HAIL <i>severe hailfall</i> ICE <i>icing hazards</i> LIGHTNING <i>damaging lightning</i> PRECIP <i>heavy rainfall</i> SNOW <i>heavy snowfall</i> TORNADO <i>tornado or waterspout</i> WIND <i>severe wind gust</i>
27	NO_OBJECTS	number	dep	<i>the number of events, e.g. number of waterspouts. This field is deprecated and should not be used for new reports. All events require their own record.</i>
28	MAX_HAIL_DIAMETER	number	opt	<i>in centimetres for event type HAIL only.</i>

29	MAX_ HAILSTONE_ WEIGHT	number	opt	<i>in grams for event type HAIL only.</i>																					
30	AVERAGE_ HAIL_DIAMETER	number	dep	<i>in centimetres for event type HAIL only.</i>																					
31	THICKNESS_ HAIL_LAYER	number	opt	<i>in centimetres for event type HAIL only.</i>																					
32	HAILSTONE	number	dep	<p><i>the sum of all applicable options:</i></p> <hr/> <table border="0"> <tbody> <tr> <td>1</td> <td>AGGR</td> <td><i>aggregates formed while in air</i></td> </tr> <tr> <td>2</td> <td>CLEAR</td> <td><i>hailstones of clear ice</i></td> </tr> <tr> <td>4</td> <td>CONE</td> <td><i>cone-shaped hailstones</i></td> </tr> <tr> <td>8</td> <td>OBLATE</td> <td><i>hailstones with oblate shape ("squeezed ball")</i></td> </tr> <tr> <td>16</td> <td>POROUS</td> <td><i>porous (white ice) hailstones</i></td> </tr> <tr> <td>32</td> <td>RINGS</td> <td><i>hailstones contain rings of white and clear ice</i></td> </tr> <tr> <td>64</td> <td>SPIKES</td> <td><i>spiky stones</i></td> </tr> </tbody> </table> <p><i>for event type HAIL only.</i></p>	1	AGGR	<i>aggregates formed while in air</i>	2	CLEAR	<i>hailstones of clear ice</i>	4	CONE	<i>cone-shaped hailstones</i>	8	OBLATE	<i>hailstones with oblate shape ("squeezed ball")</i>	16	POROUS	<i>porous (white ice) hailstones</i>	32	RINGS	<i>hailstones contain rings of white and clear ice</i>	64	SPIKES	<i>spiky stones</i>
1	AGGR	<i>aggregates formed while in air</i>																							
2	CLEAR	<i>hailstones of clear ice</i>																							
4	CONE	<i>cone-shaped hailstones</i>																							
8	OBLATE	<i>hailstones with oblate shape ("squeezed ball")</i>																							
16	POROUS	<i>porous (white ice) hailstones</i>																							
32	RINGS	<i>hailstones contain rings of white and clear ice</i>																							
64	SPIKES	<i>spiky stones</i>																							
33	F_SCALE	number	opt	<i>maximum intensity of the event on the Fujita-scale. for DEVIL, GUSTNADO, TORNADO, WIND only.</i>																					
34	T_SCALE	number	opt	<i>maximum intensity of the event on the T-scale for DEVIL, GUSTNADO, TORNADO, WIND only.</i>																					
35	RATING_BASIS	number	opt	<p><i>a number representing all types of information used for establishing the F- or T-scale rating. I.e. the sum of all numbers listed below, that are associated with the types of information used:</i></p> <hr/> <table border="0"> <tbody> <tr> <td>1</td> <td><i>an eye-witness report of the inflicted damage</i></td> </tr> <tr> <td>2</td> <td><i>a damage survey by a severe weather expert</i></td> </tr> <tr> <td>4</td> <td><i>photographs / video footage of the inflicted damage</i></td> </tr> <tr> <td>8</td> <td><i>a written account of the damage</i></td> </tr> </tbody> </table>	1	<i>an eye-witness report of the inflicted damage</i>	2	<i>a damage survey by a severe weather expert</i>	4	<i>photographs / video footage of the inflicted damage</i>	8	<i>a written account of the damage</i>													
1	<i>an eye-witness report of the inflicted damage</i>																								
2	<i>a damage survey by a severe weather expert</i>																								
4	<i>photographs / video footage of the inflicted damage</i>																								
8	<i>a written account of the damage</i>																								

				16 <i>a measured wind speed</i>
36	WIND_SPEED	number	opt	the highest measured wind speed attributable to the reported event in m/s <i>for DEVIL, GUSTNADO, TORNADO, WIND only.</i>
37	TEN_MIN_WIND_SPEED	number	opt	the highest measured 10 minute-averaged wind speed during the wind or snowstorm event. <i>for WIND, SNOW only.</i>
38	FUNNEL_SIGHTED	varchar2(255)	opt	<i>one of the following keywords:</i> <hr/> FNLOBS <i>funnel observed</i> NOFNLOBS <i>nofunnel observed</i> <i>for TORNADO only.</i>
39	SUCTION_VORTICES	varchar2(255)	dep	<i>one of the following keywords:</i> <hr/> SVTCSOBS <i>suction vortices observed</i> NOSVTCSOBS <i>no suction vortices observed</i> <i>for TORNADO only.</i>
40	PRECIPITATION_AMOUNT	number	opt	precipitation amount or equivalent liquid precipitation amount <i>in mm for PRECIP, ICE, SNOW only.</i>
41	SNOW_FALL_AMOUNT	number	opt	snow fall amount <i>in cm for event type SNOW only</i>
42	PEAK_PRECIPITATION_AMOUNT	number	opt	the accumulation within a time period during which the precipitation rate was exceptionally high (peak period) may be reported here. <i>in mm for event type PRECIP only (not SNOW).</i>
43	PEAK_SNOW_FALL_AMOUNT	number	opt	snow fall amount in peak period <i>in cm for event type SNOW only.</i>
44	PEAK_PRECIPITATION_PERIOD	number	opt	length of precipitation/snow fall peak period <i>in hours</i> <i>for PRECIP, SNOW only.</i>
45	MAX_6_HOUR_PRECIP	number	opt	<i>during the 0-6, 6-12, 12-18, or 18-00 UTC interval in which the time given falls. If the time given is exactly 00, 06, 12 or 18 UTC, the previous 6-hour period is meant.</i> <i>precipitation amount or equivalent liquid</i>

46	MAX_6_HOUR_ SNOW_FALL	number	opt	<p><i>precipitation in mm. for PRECIP, SNOW only.</i></p> <p><i>during the 0-6, 6-12, 12-18, or 18-00 UTC interval in which the time given falls. If the time given is exactly 00, 06, 12 or 18 UTC, the previous 6-hour period is meant. snow fall amount in cm.</i></p> <p><i>for event type SNOW only.</i></p>								
47	MAX_12_HOUR_ PRECIP	number	opt	<p><i>during the 00-12, 12-00 UTC interval in which the time given falls. If the time given is exactly 00, or 12 UTC, the previous 12-hour period is meant. precipitation amount or equivalent liquid precipitation in mm. for PRECIP, SNOW only.</i></p>								
48	MAX_12_HOUR_ SNOW_FALL	number	opt	<p><i>during the 00-12, 12-00 UTC interval in which the time given falls. If the time given is exactly 00, or 12 UTC, the previous 12-hour period is meant . snow fall amount in cm.</i></p> <p><i>for event type SNOW only.</i></p>								
49	MAX_24_HOUR_ PRECIP	number	opt	<p><i>during the 24 hour period in which the given time fall. precipitation amount or equivalent liquid precipitation in mm. for PRECIP, SNOW only.</i></p>								
50	MAX_24_HOUR_ SNOW_FALL	number	opt	<p><i>during the 24 hour period in which the given time fall. snow fall amount in cm.</i></p> <p><i>for event type SNOW only.</i></p>								
51	CONVECTIVE	varchar(255)	dep	<p><i>Did the precipitation fall in connection with deep moist convection? One of the following keywords:</i></p> <hr/> <table> <tbody> <tr> <td>CONV</td> <td><i>convective</i></td> </tr> <tr> <td>PARTLYCONV</td> <td><i>partly convective</i></td> </tr> <tr> <td>NONCONV</td> <td><i>nonconvective</i></td> </tr> <tr> <td>UNCERTAIN</td> <td><i>uncertain</i></td> </tr> </tbody> </table> <p><i>for PRECIP, ICE, SNOW, WIND only.</i></p>	CONV	<i>convective</i>	PARTLYCONV	<i>partly convective</i>	NONCONV	<i>nonconvective</i>	UNCERTAIN	<i>uncertain</i>
CONV	<i>convective</i>											
PARTLYCONV	<i>partly convective</i>											
NONCONV	<i>nonconvective</i>											
UNCERTAIN	<i>uncertain</i>											

52	TOTAL_ DURATION	number	opt	<p>total event duration</p> <p><i>for event type PRECIP, SNOW, ICE in hours, representing the duration of accumulation of the amount mentioned in field 39.</i></p> <p><i>for DEVIL, FUNNEL, GUSTNADO, TORNADO in minutes.</i></p>																														
53	TYPE_PRECIP	number	dep	<p><i>Accompanying weather phenomena known to have occurred within 5 minutes of the event time and within 3 kilometres distance of the event location.</i></p> <p><i>The sum of all applicable options below. As a confirmation that none of those events occurred, the number 256 should be selected:</i></p> <hr/> <table border="0"> <tr> <td style="padding-right: 10px;">1</td> <td style="padding-right: 10px;">HRAIN</td> <td><i>heavy rain</i></td> </tr> <tr> <td>2</td> <td>LRAIN</td> <td><i>light or moderate rain</i></td> </tr> <tr> <td>4</td> <td>LGHAIL</td> <td><i>large hail (2.0 cm in diameter or larger)</i></td> </tr> <tr> <td>8</td> <td>MEDHAIL</td> <td><i>hail (0.5 – 1.9 mm in diameter)</i></td> </tr> <tr> <td>16</td> <td>GRAINS</td> <td><i>graupel, small hail or snow grains (<0.5 mm in diameter)</i></td> </tr> <tr> <td>32</td> <td>HAILUNK</td> <td><i>hail (unknown diameter)</i></td> </tr> <tr> <td>64</td> <td>HSNOW</td> <td><i>heavy snowfall</i></td> </tr> <tr> <td>128</td> <td>LSNOW</td> <td><i>light or moderate snowfall</i></td> </tr> <tr> <td>256</td> <td>DUST</td> <td><i>dust or sand raised by the wind, thereby limiting visibility</i></td> </tr> <tr> <td>512</td> <td>DRY</td> <td><i>no precipitation, dust or sand</i></td> </tr> </table> <p><i>for GUSTNADO, TORNADO, WIND only</i></p>	1	HRAIN	<i>heavy rain</i>	2	LRAIN	<i>light or moderate rain</i>	4	LGHAIL	<i>large hail (2.0 cm in diameter or larger)</i>	8	MEDHAIL	<i>hail (0.5 – 1.9 mm in diameter)</i>	16	GRAINS	<i>graupel, small hail or snow grains (<0.5 mm in diameter)</i>	32	HAILUNK	<i>hail (unknown diameter)</i>	64	HSNOW	<i>heavy snowfall</i>	128	LSNOW	<i>light or moderate snowfall</i>	256	DUST	<i>dust or sand raised by the wind, thereby limiting visibility</i>	512	DRY	<i>no precipitation, dust or sand</i>
1	HRAIN	<i>heavy rain</i>																																
2	LRAIN	<i>light or moderate rain</i>																																
4	LGHAIL	<i>large hail (2.0 cm in diameter or larger)</i>																																
8	MEDHAIL	<i>hail (0.5 – 1.9 mm in diameter)</i>																																
16	GRAINS	<i>graupel, small hail or snow grains (<0.5 mm in diameter)</i>																																
32	HAILUNK	<i>hail (unknown diameter)</i>																																
64	HSNOW	<i>heavy snowfall</i>																																
128	LSNOW	<i>light or moderate snowfall</i>																																
256	DUST	<i>dust or sand raised by the wind, thereby limiting visibility</i>																																
512	DRY	<i>no precipitation, dust or sand</i>																																

54	SIZE_ ACCOMPANYING_ HAIL	number	dep	<p>hail diameter in cm</p> <p><i>in case LGHAIL, MEDHAIL or GRAINS were reported in field 47. Otherwise this field should be left empty. In case LGHAIL was selected, the hail should be reported in an additional event report.</i></p> <p><i>for GUSTNADO, TORNADO, WIND only</i></p>
55	POSSIBILITIES	number	opt	<p><i>Indication of doubts regarding the nature of the event causing wind damage.</i></p> <p><i>The sum of all applicable options:</i></p> <hr/> <p>1 deprecated: POSSGUSTNADO <i>It is possible that the wind damage is caused by a gustnado instead of a tornado, but there is not enough evidence to confirm this.</i></p> <p>2 deprecated: POSSDEVIL <i>It is possible that the wind damage is caused by a lesser whirlwind instead of a tornado, but there is not enough evidence to confirm this.</i></p> <p>4 deprecated, except for event type WIND: POSSTORNADO <i>It is possible that the wind damage is caused by a tornado, but there is not enough evidence to confirm this. (please provide information in event description field)</i></p>
56	PATH_LENGTH	number	opt	<p>path length in km</p> <p><i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO and WIND only.</i></p>
57	MEAN_PATH_WIDTH	number	opt	<p>mean path width in m</p> <p><i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO and WIND only.</i></p>
58	MAX_PATH_WIDTH	number	opt	<p>maximum path width in m</p> <p><i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO and WIND only.</i></p>
59	MAX_VERTICAL_DEVELOP	number	opt	<p><i>in percentage of the distance cloud-ground. (e.g. 25% is one quarter of the distance from</i></p>

				<i>the cloud to the ground) for FUNNEL only.</i>
60	DIRECTION_ MOVEMENT	varchar(255)	opt	<i>direction of movement or wind direction (for type WIND only) indicated as follows (from- to): N-S, NNE-SSW, NE-SW, etc. for AVALANCHE, DEVIL, GUSTNADO, TORNADO, WIND</i>
61	SNOW_HAZARDS	number	opt	Snowfall characteristics <i>The sum of all applicable options:</i>
				<hr/>
				1 DRIFT <i>drifting snow occurred (snow blowing below eye-height), but no blowing snow</i>
				2 BLOW <i>blowing snow occurred (snow blowing above eye- height)</i>
				4 SNDRIFT <i>a combination of falling and drifting snow, but no blowing snow</i>
				8 SNBLOW <i>a combination of falling and blowing snow</i>
				16 WHITEOUT <i>whiteout conditions occurred, i.e. a reduction of visibility reduces near zero and/or disappearance of horizon as well as reference points because of diffuse light conditions in cloudy snow cover environments or extreme blowing snow or extreme snowfall or dense fog in snow cover environments</i>
62	MEAN_HEIGHT_ SNOW_CORNICES	number	dep	mean height of fresh snow cornices or snow dunes in open areas <i>in centimetres</i> <i>for SNOW only.</i>
63	MAX_HEIGHT_ SNOW_CORNICES	number	dep	maximum height of fresh snow cornices or snow dunes in open areas <i>in centimetres</i> <i>for SNOW only</i>
64	ICE_HAZARDS	number	opt	<i>the sum of all applicable options:</i>

				<p>1 GLAZE <i>a coating of ice, generally clear and smooth, formed by the freezing of a film of supercooled water. Also known as clear ice or black ice.</i></p> <p>2 FROST <i>fuzzy layer of ice crystals on a cold object, forming by direct deposition of water vapor to solid ice</i></p> <p>4 RIME <i>a white or milky and opaque granular deposit of ice formed by the rapid freezing of supercooled water drops as they impinge upon an exposed object</i></p>
				<i>for ICE only</i>
65	THICKNESS_ICE_COVER	number	opt	<i>in millimetres for ICE only</i>
66	THICKNESS_RIME_COVER	number	opt	<i>in millimetres for ICE only</i>
67	AVALANCHE_TYPE	varchar(255)	opt	<i>either of these keywords:</i>
				<p>SLAB <i>a <u>slab avalanche</u>: the simultaneous release of a cohesive snow layer (slab) characterized by a distinct fracture line (or crown fracture) at the top of the avalanche.</i></p> <p>LOOSE <i>a <u>loose snow avalanche</u>: an avalanche of dry or wet snow with no or low cohesion starting from a point fanning out downhill and leaving an inverted V-shaped scar.</i></p>
				<i>for AVALANCHE only</i>
68	AVALANCHE_FLOW_TYPE	varchar(255)	opt	<i>either of these keywords:</i>
				<p>DENSE <i>a <u>dense flow avalanche</u>: an avalanche with a primarily flowing, sliding, slipping motion.</i></p> <p>POWDER <i>a <u>powder cloud avalanche</u>: an avalanche in which a large fraction of the snow is suspended by turbulence</i></p>
				<i>for AVALANCHE only</i>

69	SNOW_MASS_ TYPE	varchar(255)	opt	<p><i>either of these keywords:</i></p> <hr/> <p>DRYSNOW <i>a <u>wet snow avalanche</u>: an avalanche of wet snow; typically a slower avalanche of higher density</i></p> <p>WETSNOW <i>a <u>dry snow avalanche</u>: an avalanche of dry snow; typically faster but of lower density than a wet snow avalanche</i></p> <p><i>for AVALANCHE only</i></p>																				
70	AVALANCHE_ SIZE	number	opt	<p>avalanche size expressed on the scale of the European Avalanche Warning Services (www.avalanches.org)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: left;"><i>description</i></th> <th style="text-align: left;"><i>path length</i></th> <th style="text-align: left;"><i>volume</i></th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">2</td> <td><i>small avalanche</i></td> <td><i>50 - 100 m</i></td> <td><i>10² - 10³ m³</i></td> </tr> <tr> <td style="text-align: center;">3</td> <td><i>medium avalanche</i></td> <td><i>100 m - 1 km</i></td> <td><i>10³ - 10⁴ m³</i></td> </tr> <tr> <td style="text-align: center;">4</td> <td><i>large avalanche</i></td> <td><i>1 - 2 km</i></td> <td><i>10⁴ - 10⁵ m³</i></td> </tr> <tr> <td style="text-align: center;">5</td> <td><i>very large avalanche</i></td> <td><i>~ 3 km</i></td> <td><i>> 10⁵ m³</i></td> </tr> </tbody> </table> <p><i>for AVALANCHE only</i></p>		<i>description</i>	<i>path length</i>	<i>volume</i>	2	<i>small avalanche</i>	<i>50 - 100 m</i>	<i>10² - 10³ m³</i>	3	<i>medium avalanche</i>	<i>100 m - 1 km</i>	<i>10³ - 10⁴ m³</i>	4	<i>large avalanche</i>	<i>1 - 2 km</i>	<i>10⁴ - 10⁵ m³</i>	5	<i>very large avalanche</i>	<i>~ 3 km</i>	<i>> 10⁵ m³</i>
	<i>description</i>	<i>path length</i>	<i>volume</i>																					
2	<i>small avalanche</i>	<i>50 - 100 m</i>	<i>10² - 10³ m³</i>																					
3	<i>medium avalanche</i>	<i>100 m - 1 km</i>	<i>10³ - 10⁴ m³</i>																					
4	<i>large avalanche</i>	<i>1 - 2 km</i>	<i>10⁴ - 10⁵ m³</i>																					
5	<i>very large avalanche</i>	<i>~ 3 km</i>	<i>> 10⁵ m³</i>																					
71	AVALANCHE_ TRIGGER	varchar(255)	opt	<p><i>either of these keywords:</i></p> <hr/> <p>NATURAL <i>release of an avalanche without being triggered by a person, explosives, etc.</i></p> <p>ARTIFICIAL <i>release of an avalanche by an external force (e.g. explosives, snow machines or machinery, people, wildlife).</i></p> <p><i>for AVALANCHE only</i></p>																				
72	ELEVATION_ START	number	opt	<p><i>in metres</i></p> <p><i>for AVALANCHE only</i></p>																				

73	ELEVATION_ DIFFERENCE	number	opt	height difference between starting point and ending point of the avalanche <i>in metres</i> <i>for AVALANCHE only</i>																											
74	LIGHTNING_ DAMAGE_TO	number(6)	opt	All objects directly struck by the lightning strike. <i>One or more of the following keywords, separated by a comma:</i> <hr/> <table border="0"> <tr> <td>1</td> <td>AIRCRAFT</td> <td><i>e.g. an aeroplane or helicopter</i></td> </tr> <tr> <td>2</td> <td>ANIMAL</td> <td><i>cattle or other large animals</i></td> </tr> <tr> <td>4</td> <td>BUILDING</td> <td><i>built-up structures</i></td> </tr> <tr> <td>8</td> <td>OVERHEAD</td> <td><i>overhead lines of transport infrastructure (catenary)</i></td> </tr> <tr> <td>16</td> <td>PERSON</td> <td><i>persons or groups of persons</i></td> </tr> <tr> <td>32</td> <td>POWERLINE</td> <td><i>powerline</i></td> </tr> <tr> <td>64</td> <td>SHIP</td> <td><i>any vessels in water</i></td> </tr> <tr> <td>128</td> <td>VEGITATION</td> <td><i>vegetation (i.e. causing wildfires)</i></td> </tr> <tr> <td>256</td> <td>VEHICLE</td> <td><i>any vehicles on land, such as cars, lorries, etc.</i></td> </tr> </table> <i>for LIGHTNING only</i>	1	AIRCRAFT	<i>e.g. an aeroplane or helicopter</i>	2	ANIMAL	<i>cattle or other large animals</i>	4	BUILDING	<i>built-up structures</i>	8	OVERHEAD	<i>overhead lines of transport infrastructure (catenary)</i>	16	PERSON	<i>persons or groups of persons</i>	32	POWERLINE	<i>powerline</i>	64	SHIP	<i>any vessels in water</i>	128	VEGITATION	<i>vegetation (i.e. causing wildfires)</i>	256	VEHICLE	<i>any vehicles on land, such as cars, lorries, etc.</i>
1	AIRCRAFT	<i>e.g. an aeroplane or helicopter</i>																													
2	ANIMAL	<i>cattle or other large animals</i>																													
4	BUILDING	<i>built-up structures</i>																													
8	OVERHEAD	<i>overhead lines of transport infrastructure (catenary)</i>																													
16	PERSON	<i>persons or groups of persons</i>																													
32	POWERLINE	<i>powerline</i>																													
64	SHIP	<i>any vessels in water</i>																													
128	VEGITATION	<i>vegetation (i.e. causing wildfires)</i>																													
256	VEHICLE	<i>any vehicles on land, such as cars, lorries, etc.</i>																													
75	PEAK_ CURRENT	number	opt	<i>in kA (kiloampere)</i> <i>for LIGHTNING only</i>																											
76	POLARITY	varchar(255)	opt	polarity of the lightning strike as determined by a lightning detection network <i>either of these keywords:</i> <hr/> <table border="0"> <tr> <td>POS</td> <td><i>a discharge between a cloud and the ground that lowers positive charge to the ground</i></td> </tr> <tr> <td>NEG</td> <td><i>a discharge between a cloud and the ground that lowers negative charge to the ground</i></td> </tr> </table> <i>for LIGHTNING only</i>	POS	<i>a discharge between a cloud and the ground that lowers positive charge to the ground</i>	NEG	<i>a discharge between a cloud and the ground that lowers negative charge to the ground</i>																							
POS	<i>a discharge between a cloud and the ground that lowers positive charge to the ground</i>																														
NEG	<i>a discharge between a cloud and the ground that lowers negative charge to the ground</i>																														
77	EXCEPT_ ELEC_ PHENOM	varchar(255)	opt	<i>One or more of the following keywords:</i> <hr/> <table border="0"> <tr> <td>BALL</td> <td><i>ball lightning</i></td> </tr> <tr> <td>OELP</td> <td><i>other exceptionallighting phenomenon, explained in field</i></td> </tr> </table>	BALL	<i>ball lightning</i>	OELP	<i>other exceptionallighting phenomenon, explained in field</i>																							
BALL	<i>ball lightning</i>																														
OELP	<i>other exceptionallighting phenomenon, explained in field</i>																														

78	PROPERTY_DAMAGE	varchar(255)	dep	<i>damage expressed in EUR (default unit) or in a specified other currency or quantity</i>
79	CROP_FOREST_DAMAGE	varchar(255)	dep	<i>damage expressed in EUR (default unit) or in a specified other currency or quantity</i>
80	TOTAL_DAMAGE	varchar(255)	dep	<i>damage expressed in EUR (default unit) or in a specified other currency or quantity</i>
81	NO_INJURED	number(10)	opt	
82	NO_KILLED	number(10)	opt	
83	EVENT_DESCRIPTION	varchar(4000)	opt	
84	PATH_START_LATITUDE	number	opt	<i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO, WIND</i>
85	PATH_START_LONGITUDE	number	opt	<i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO, WIND</i>
86	PATH_START_DATETIME	time	opt	<i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO, WIND</i>
87	PATH_END_LATITUDE	number	opt	<i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO, WIND</i>
88	PATH_END_LONGITUDE	number	opt	<i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO, WIND</i>
89	PATH_END_DATETIME	time	opt	<i>for AVALANCHE, DEVIL, GUSTNADO, TORNADO, WIND</i>
90	EXT_URL	varchar(4000)	opt	<i>URL(s) of internet resources that complement the report, separated by a space. Only URL(s) of ESSL and selected partners are allowed</i>
91	REFERENCE	varchar(4000)	opt	reference(s) to the source(s) of the report
92	IMPACTS	varchar(100)	opt	coded impacts of this event. See Appendix C.
93	CREATOR_ID	varchar(50)	opt	identifier of the creator of the report
94	REVISOR_ID	varchar(50)	opt	identifier of the revisor of the report
95	LINK_ORG	varchar(20)	opt	identifier of the linked (national) database

96	LINK_ID	varchar(20)	opt	field number of the associated report in a linked database
97	DELETED	varchar(1)	req	Character indicating whether the report is deleted.

either of these options:

Y *yes*

N *no*

All retrieved data from the ESWD server not for synchronization purposes should have an "N" here.

References

Dotzek, N., P. Groenemeijer, B. Feuerstein, and A. M. Holzer, 2009: Overview of ESSL's severe convective storms research using the European Severe Weather Database ESWD. *Atmos. Res.*, 93, 575-586.

ESSL TechRep 2011-01, ESWD Data format 1.50 and 1.50-CSV: data format specification. Available from: <https://www.essl.org/media/publications/essl-tech-rep-2011-01.pdf>

ESSL, ESWD Reporting Criteria, available from: https://www.essl.org/cms/wp-content/uploads/20140509-ESWD_criteria.pdf

Groenemeijer, Pieter, Tomáš Púčik, Alois M. Holzer, Bogdan Antonescu, Kathrin Riemann-Campe, David M. Schultz, Thilo Kühne, Bernold Feuerstein, Harold E. Brooks, Charles A. Doswell III, Hans-Joachim Koppert, and Robert Sausen, 2017: Severe Convective Storms in Europe: 10 Years of Research at the European Severe Storms Laboratory, *Bull. Amer. Meteor. Soc.*, 98, 2641–2651. <http://dx.doi.org/10.1175/BAMS-D-16-0067.1>

Appendix A: Two-character country codes

The two-character codes of countries in WMO Region VI are given in this list. The list is similar to the ISO 3166-1 standard, but does not follow it completely with respect to smaller dependent territories.

AD	Andorra	GL	Greenland	MK	North Macedonia
AL	Albania	GR	Greece	MT	Malta
AR	Armenia	HR	Croatia	NL	Netherlands
AT	Austria	HU	Hungary	NO	Norway
AZ	Azerbaijan	IE	Ireland	PL	Poland
BA	Bosnia and Herzegovina	IL	Israel	PT	Portugal
BE	Belgium	IS	Iceland	RO	Romania
BG	Bulgaria	IT	Italy	RS	Serbia and/incl. Kosovo
BY	Belarus	JO	Jordan	RU	Russian Federation
CH	Switzerland	KG	Kyrgyzstan	SE	Sweden
CY	Cyprus	KZ	Kazakhstan	SI	Slovenia
CZ	Czech Republic	LB	Lebanon	SK	Slovakia
DE	Germany	LI	Liechtenstein	SY	Syria
DK	Denmark	LT	Lithuania	TM	Turkmenistan
DZ	Algeria	LU	Luxembourg	TN	Tunisia
EE	Estonia	LV	Latvia	TR	Turkey
EG	Egypt	LY	Lybia	UA	Ukraine
ES	Spain ⁱ	MA	Morocco	UK	United Kingdom ⁱⁱ
FI	Finland	MC	Monaco	UZ	Uzbekistan
FR	France	MD	Moldova	VA	Holy See
GE	Georgia	ME	Montenegro		

- i) including its dependencies in North Africa
- ii) including its dependencies in Europe

Appendix B: Quality control levels

The meaning of the three quality-control (QC) levels in the ESWD and the underlying regulations for their assignment are summarized within the following table.

Quality level	Designation	Description	QC performed by
QC0	as received	The report is newly reported by a source whose reliability has not yet been confirmed. Quality control of this report is still pending.	–
QC0+	plausibility checked	The report is judged to be plausible, given the overall meteorological situation in the affected region and time period.	VON, NHMS or ESSL
QC1	confirmed by reliable source	The occurrence of the report has been confirmed by a reliable source	VON, NHMS or ESSL
QC2	scientific case study	In addition to being confirmed, an expert has performed an in-depth case study of the event, in particular regarding the nature and impacts of the event. Typically, this requires a post-event site survey.	NHMS or ESSL

VON stands for Voluntary Observing Network NHMS is National HydroMeteorological Service.

ESWD quality-control levels denote the reliability of the contained information, and do not refer to the mere quantity of information (number of filled database fields). The significant step in report quality takes place from QC0+ to QC1. Both QC1 and QC2 reports are confirmed and suitable for quantitative analysis. However, for some analyses, even the QC0+ reports will still be adequate.

Appendix C: Impact codes

The following table lists all impact codes, their acronyms and the severe weather events for which they may be selected. The respective field contains a string consisting of all applying impact codes separated by a space.

		DEVIL	TORNADO	WIND	PRECIP	HAIL	SNOW	AVALANCHE	LIGHTNING	ICE
Transport infrastructure										
T1	Road(s) impassable or closed	X	X	X	X	X	X	X	X	X
T2	Road(s) damaged or destroyed		X		X			X		
T3	Bridge(s) damaged or destroyed		X	X	X			X		
T4	Rail-/tram-/subway(s) unusable or closed	X	X	X	X	X	X	X	X	X
T5	Rail-/tram-/subway infrastructure damaged Rail-/tram-/subway vehicle(s) damaged or destroyed	X	X	X	X	X	X	X	X	X
T6	Airport(s) closed (for more than an hour)		X	X	X	X	X	X	X	X
T7	Aircraft damaged or destroyed		X	X		X		X	X	
T8	Ship(s) damaged or destroyed		X	X		X			X	
T9	Inhabited place(s) cut off from transport infrastructure		X	X	X	X	X	X		X
T10			X	X	X	X	X	X		X
Other infrastructure										
I1	Power transmission damaged or destroyed	X	X	X	X	X	X	X	X	X
I2	Telecommunication infrastructure damaged or destroyed	X	X	X	X	X	X	X	X	X
Damage to homes / buildings										
H1	Damage (any damage)								X	
H2	Damage to roof(s) and/or chimney(s)	X	X	X		X				X
H3	Roof(s) destroyed	X	X	X		X	X	X		X
H4	Damage to window(s) and/or insulation layer(s)	X	X	X		X				
H5	Wall(s) (partly) collapsed	X	X	X				X		
H6	Building(s) (almost) fully destroyed	X	X	X	X			X	X	
H7	Basement(s) flooded				X					
H8	Flooding of ground floor				X					
H9	Flooding above ground floor				X					

Damage to road vehicles										
V1	Car(s) damaged (any damage)	X	X	X	X	X	X	X	X	X
V2	Car(s) dented	X	X	X		X				
V3	Car window(s) and/or windshield(s) broken	X	X	X		X				
V4	Car(s) damaged beyond repair	X	X	X	X	X				
V5	Car(s) lifted		X							
V6	Truck(s) and/or trailer(s) overturned		X	X						
Damage to trees										
W1	Tree(s) damaged					X			X	X
W2	Large tree branch(es) broken	X	X	X			X			
W3	Tree(s) uprooted or snapped	X	X	X	X			X		
W4	Forest(s) damaged or destroyed		X	X			X	X		X
Damage to agriculture										
A1	Crops/farmland damaged	X	X	X		X	X			
A2	Farmland flooded				X					
A3	Greenhouse(s) damaged or destroyed	X	X	X		X	X			
A4	Animal(s) killed	X	X	X	X	X	X	X	X	X
Event consequences										
E1	Land- or mudslide(s)				X					
E2	Fire as a consequence of the event	X	X	X					X	
E3	Evacuation order by authorities	X	X	X	X		X	X		X